



confidence value + branch prediction + mcfa


[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar All articles [Recent articles](#) Results 1 - 10 of about 234 for [confidence value + branch prediction + mcfarling](#). (0.10 seconds)

All Results[B Calder](#)[D Grunwald](#)[S Manne](#)[A Klauser](#)[J Smith](#)[Pipeline Gating: Speculation Control for Energy Reduction - group of 22 »](#)

S Manne, A Klauser, D Grunwald - Proceedings of the 25th annual international symposium on ..., 1998 - doi.ieeeecs.org

... A **branch** is considered to have "high **confidence**" only when the MDC has reacheda partic- ular **confidence** threshold value referred to as the ...Cited by 261 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)[Confidence estimation for speculation control - group of 17 »](#)

D Grunwald, A Klauser, S Manne, A Pleszkun - ACM SIGARCH Computer Architecture News, 1998 - portal.acm.org

... **branch**, it does not know if a **branch** will commit or ... when we report the SPEC and PVNfor different **confidence** estimators, we only report these **values** for the ...Cited by 119 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)[Assigning confidence to conditional branch predictions - group of 16 »](#)

E Jacobsen, E Rotenberg, JE Smith - Proceedings of the 29th annual ACM/IEEE international ... - doi.ieeecomputersociety.org

... **confidence** levels to different counter **values** in predictors ... dif- ferent degrees based on the **confidence** level ... In [12] the authors use **branch** probability levels ...Cited by 173 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)[Selective value prediction - group of 15 »](#)

B Calder, G Reinman, DM Tullsen - ACM SIGARCH Computer Architecture News, 1999 - portal.acm.org

... The use of history information, similar to local **branch** his- tories [18, 31], canbe used to provide history **confidence** for **value** prediction, and thus increase ...Cited by 145 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)[Neural Methods for Dynamic Branch Prediction - group of 13 »](#)

DA JIMENEZ, C LIN - ACM Transactions on Computer Systems, 2002 - portal.acm.org

... tively used before actual **values** are available ... Recent efforts to improve **branch****prediction** focus primarily ... two-level adaptive predictors [McFarling 1993; Lee ...Cited by 55 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)[Accurate indirect branch prediction - group of 14 »](#)

K Driesen, U Hoelzle - ACM SIGARCH Computer Architecture News, 1998 - doi.ieeecomputersociety.org

... from each target address in the path history, the maximum **value** of b ... In analogy withthe Gshare predictor used in conditional **branch** prediction [CHP95], we can ...Cited by 67 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)[The potential of data value speculation to boost ILP - group of 13 »](#)

J González, A González - Proceedings of the 12th international conference on ..., 1998 - portal.acm.org

... If the most significant bit of the **confidence** flag is set, then ... figure is not tocompare the performance of **branch** prediction and **value** prediction but to ...Cited by 75 - [Related Articles](#) - [Web Search](#)[Prediction outcome history-based confidence estimation for load value prediction - group of 6 »](#)

M Burtcher, BG Zorn - Journal of Instruction-Level Parallelism, 1999 - csl.cornell.edu

... for load **value** prediction (Section 5.2). While their goals are similar to ours,the approaches for **branch** **confidence** estimation and load **value** predic- tion ...Cited by 22 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)[Predictor-directed stream buffers - group of 18 »](#)

T Sherwood, S Sair, B Calder - Proceedings of the 33rd annual ACM/IEEE international ..., 2000 - portal.acm.org

... is accomplished by decoupling the **branch** predictor from the ... store loads that receivetheir **value** forwarded from ... stride, and (4) some **confidence** infor- mation. ...Cited by 54 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)[Dynamic branch prediction with perceptrons - group of 13 »](#)

DA Jimenez, C Lin - Proceedings of the Seventh International Symposium on High ..., 2001 - doi.ieeeecs.org

... predicted **values** are speculatively used be- fore actual **values** are available [10 ...learning technique can be implemented in hardware to improve **branch** prediction. ...Cited by 83 - [Related Articles](#) - [Web Search](#)

Goooooooooooooole ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)



Checkpoint + confidence value + branch pred


[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 404 for **Checkpoint + confidence value + branch prediction**. (0.20 seconds)
All Results[R Rajwar](#)[H Akkary](#)[B Calder](#)[S Srinivasan](#)[S Wallace](#)**[Checkpoint processing and recovery: towards scalable large instruction window processors - group of 2 »](#)**H Akkary, R Rajwar, ST Srinivasan - Microarchitecture, 2003. MICRO-36. Proceedings. 36th Annual ..., 2003 - [ieeexplore.ieee.org](#)... call this re-execution overhead the **check- point** overhead (COVHD ... a **checkpoint** is made at low-**confidence** branches, a ... on a re-execution from a **checkpoint**, we use ...[Cited by 102](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**[Threaded multiple path execution - group of 24 »](#)**S Wallace, B Calder, DM Tullsen - ACM SIGARCH Computer Architecture News, 1998 - [doi.ieeeecomputersociety.org](#)... **Check- point** b6 cannot be forked yet in this example ... pri- mary path starting at that **checkpoint**, or the ... **branch** by ex- amining the **confidence** counter described ...[Cited by 95](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**[CAVA: Hiding L2 Misses with Checkpoint-Assisted Value Prediction - group of 9 »](#)**L Ceze, K Strauss, J Tuck, J Renau, J Torrellas - Computer Architecture Letters, IEEE, 2004 - [ieeexplore.ieee.org](#)... We use **value prediction** with **confidence** estimation. Based on the **confidence**, the processor performs different ... only support a single outstanding **checkpoint** at a ...[Cited by 6](#) - [Related Articles](#) - [Web Search](#)**[Checkpointed early load retirement - group of 2 »](#)**N Kirman, M Kirman, M Chaudhuri, JF Martinez - High-Performance Computer Architecture, 2005. HPCA-11. 11th ..., 2005 - [ieeexplore.ieee.org](#)... cannot be predicted with high enough **confidence**, a new ... all of them are assigned to the last **check- point**. ... suffering a rollback to that last **checkpoint** may be ...[Cited by 14](#) - [Related Articles](#) - [Web Search](#)**[Dynamic hammock predication for non-predicated instruction set architectures - group of 17 »](#)**A Klauser, T Austin, D Grunwald, B Calder - Proceedings of the 1998 International Conference on Parallel ..., 1998 - [doi.ieeeecomputersociety.org](#)... Decode **confidence** mechanism ... with a matching tag and op- posite predicate **value** are marked ... predication state is cleared when a speculation **checkpoint** is restored ...[Cited by 29](#) - [Related Articles](#) - [Web Search](#)**[Prophet/Critic Hybrid Branch Prediction - group of 14 »](#)**A Falcon, J Stark, A Ramirez, K Lai, M Valero - [ieeexplore.ieee.org](#)... this paper, they use one future bit to get a more ac- curate **confidence** estimation ... The tag for the partic- ular **branch** address and BOR **value** combination is ...[Cited by 16](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**[Perceptron-Based Branch Confidence Estimation - group of 7 »](#)**H Akkary, ST Srinivasan, R Koltur, Y Patil, W ... - High Performance Computer Architecture, 2004. HPCA-10. ..., 2004 - [ieeexplore.ieee.org](#)... a perceptron **branch predictor** could assign a **confidence** level to its **prediction** since the perceptron output is multi-valued and not just a Boolean **value**. ...[Cited by 4](#) - [Related Articles](#) - [Web Search](#)**[TurboSMARTS: accurate microarchitecture simulation sampling in minutes - group of 4 »](#)**TF Wenisch, RE Wunderlich, B Falsafi, JC Hoe - Proceedings of the 2005 ACM SIGMETRICS international ..., 2005 - [portal.acm.org](#)... our checkpoints to store only the **values** accessed by ... **branch predictor**, we reduce total **checkpoint** size to ... designed to achieve precisely 99.7% **confidence** of ± 3 ...[Cited by 10](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**[Checkpoint processing and recovery: an efficient, scalable alternative to reorder buffers - group of 5 »](#)**H Akkary, R Rajwar, ST Srinivasan - Micro, IEEE, 2003 - [ieeexplore.ieee.org](#)... available, it ignores the low-**confidence** **prediction** of the ... CPR reclaims the oldest **check- point** when its associated ... of zero, and the next **checkpoint** has been ...[Cited by 5](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**[Piecewise Linear Branch Prediction - group of 7 »](#)**DA Jimenez - Proceedings of the 32nd Annual International Symposium on ..., 2005 - [portal.acm.org](#)... adapt the perceptron **predictor** to provide **confidence** estimates for ... With a **value** of $n = 8$ suitable for ahead ... would not work under our **checkpoint**-based simulation ...[Cited by 6](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)



branch prediction + mcfarling

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 991 for **branch prediction + mcfarling**. (0.11 seconds)

All Results[S McFarling](#)[Y Patt](#)[T Yeh](#)[D Grunwald](#)[P Chang](#)**Combining Branch Predictors - group of 6 »****S McFarling** - cs.ucsb.edu... Smith[LS84] evaluated several **branch prediction** schemes. ... addition, they showed how **branch target buffers** ... **McFarling** and Hennessy[MH86] compared various hardware ...[Cited by 652](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)**Reducing the cost of branches - group of 2 »****S McFarling**, J Hennessy - Proceedings of the 13th annual international symposium on ..., 1986 - portal.acm.org... Scott **McFarling** and John Hennessy Computer Systems ... and dynamic (hardware-assisted) **prediction** of branches. ... execution rates, and although **branch** frequencies may ...[Cited by 171](#) - [Related Articles](#) - [Web Search](#)**Alternative implementations of hybrid branch predictors - group of 10 »**

PY Chang, E Hao, YN Patt - Microarchitecture, 1995. Proceedings of the 28th Annual ... - ieeexplore.ieee.org

... hybrid pre- dictor's **prediction**. **McFarling** proposed implementing the selection mechanism as an array of 2-bit coun- ters. Each static **branch** was associated a ...[Cited by 90](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**Branch classification: a new mechanism for improving branch predictor performance - group of 12 »**

PY Chang, E Hao, TY Yeh, Y Patt - Proceedings of the 27th annual international symposium on ..., 1994 - portal.acm.org

... To further improve **prediction** accuracy, **McFarling** [6] proposed a new technique that combines two **branch** predictors. His technique uses 2-bit up-down counters ...[Cited by 107](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**Pipeline Gating: Speculation Control for Energy Reduction - group of 22 »**

S Manne, A Klauser, D Grunwald - Proceedings of the 25th annual international symposium on ..., 1998 - doi.ieeecs.org

... In both the Gshare and **McFarling** pre- dictors, the **branch prediction** counters are updated at commit, and both predictors speculatively update the global ...[Cited by 261](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**A comparative analysis of schemes for correlated branch prediction - group of 19 »**

C Young, N Gloy, MD Smith - Computer Architecture, 1995. Proceedings. 22nd Annual ..., 1995 - ieeexplore.ieee.org

... In particular, **McFarling** [9] noticed significant redundancy in the two-level index of the correlation-based **branch prediction** scheme proposed by Pan, Si), and ...[Cited by 117](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**Neural Methods for Dynamic Branch Prediction - group of 13 »**

DA JIMENEZ, C LIN - ACM Transactions on Computer Systems, 2002 - portal.acm.org

... Recent efforts to improve **branch prediction** focus primarily on eliminating aliasing in two-level adaptive predictors [**McFarling** 1993; Lee et al. ...[Cited by 55](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**[PS] Using hybrid branch predictors to improve branch prediction accuracy in the presence of context ... - group of 5 »**

M Evers, PY Chang, YN Patt - ACM SIGARCH Computer Architecture News, 1996 - eecs.umich.edu

... pro- posed a hybrid **branch predictor** which uses the prole- guided **predictor** for branches that are mostly-taken or mostly-not-taken and **McFarling's** hybrid ...[Cited by 98](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

[Cited by 258](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Cited by 170](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#) - [BL Direct](#)

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

branch prediction + mcfarling



[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google